## IN THE CLAIMS:

Kindly cancel Claims 40 and 63, without prejudice.

Kindly amend Claims 62, 64, and 65, as follows:

electrochemical cell said cell also comprising [and] an anode and an electrolyte, the cathode material comprising a compound of the ordered or modified olivine structure having the formula:

\Li<sub>x</sub>M<sub>1-y</sub>M'<sub>y</sub>(XO<sub>4</sub>)

wherein:

M is a cation [the] of a metal selected from the group consisting of Fe, Mn, Co, Ti, Ni or mixtures thereof;

M' is a dopant cation [of a metal] selected from the group consisting of [Mg, Ni, Co, Zn, Cu, Ti, Al, Cr, Fe, Mn, Ga, V, Ge, Sn, Nb, Ta]  $\underline{Mq^{2+}}$ ,  $\underline{Ni^{2+}}$ ,  $\underline{Co^{2+}}$ ,  $\underline{Zn^{2+}}$ ,  $\underline{Cu^{2+}}$ ,  $\underline{Ti^{2+}}$ ,  $\underline{Al^{3+}}$ ,  $\underline{Ti^{3+}}$ ,  $\underline{Cr^{3+}}$ ,  $\underline{Fe^{3+}}$ ,  $\underline{Mn^{3+}}$ ,  $\underline{Ga^{3+}}$ ,  $\underline{Zn^{3+}}$ ,  $\underline{V^{3+}}$ ,  $\underline{Ti^{4+}}$ ,  $\underline{Ge^{4+}}$ ,  $\underline{Sn^{4+}}$ ,  $\underline{V^{4+}}$ ,  $\underline{V^{5+}}$ ,  $\underline{Nb^{5+}}$ ,  $\underline{Ta^{5+}}$  and mixtures thereof;

X comprises Si, S, P, V or mixtures thereof;

 $0 \le x \le 1$ ; and

 $0 \le y^{i} \le 0.2$ 

with the characteristic that x and y are selected to ensure

SUN SUN